


Flu_Graph_Data

Flu Report S	MMWR Report Week	Type A	Type B	Culture Reports	Rapid Reports	Percent Patients With ILI
2008-2009	40	0	0	0	2	0.006557915
2008-2009	41	0	0	0	0	0.007489732
2008-2009	42	0	0	0	4	0.004956727
2008-2009	43	0	0	0	2	0.004829123
2008-2009	44	1	0	1	9	0.006244218
2008-2009	45	0	0	0	10	0.009635974
2008-2009	46	0	0	0	7	0.00877193
2008-2009	47	2	0	2	11	0.01255687
2008-2009	48	1	0	1	16	0.013030148
2008-2009	49	0	0	0	28	0.016925697
2008-2009	50	2	0	2	39	0.014585828
2008-2009	51	2	1	3	75	0.012319754
2008-2009	52	2	0	2	51	0.016614055
2008-2009	53	2	0	2	19	0.017428419
2008-2009	1				3	
2008-2009	2				0	
2008-2009	3				0	
2008-2009	4				0	
2008-2009	5				0	
2008-2009	6				0	
2008-2009	7				0	
2008-2009	8				0	
2008-2009	9				0	
2008-2009	10				0	
2008-2009	11				0	
2008-2009	12				0	
2008-2009	13				0	
2008-2009	14				0	
2008-2009	15				0	
2008-2009	16				0	
2008-2009	17				0	
2008-2009	18				0	
2008-2009	19				0	
2008-2009	20				0	
2008-2009	21				0	
2008-2009	22				0	

Flu_Graph_Data

2008-2009	23				0	
2008-2009	24				0	
2008-2009	25				0	
2008-2009	26				0	
2008-2009	27				0	
2008-2009	28				0	
2008-2009	29				0	
2008-2009	30				0	
2008-2009	31				0	
2008-2009	32				0	
2008-2009	33				0	
2008-2009	34				0	
2008-2009	35				0	
2008-2009	36				0	
2008-2009	37				0	
2008-2009	38				0	
2008-2009	39				0	


Laboratory-confirmed (Culture & Rapid Tests) Influenza Cases & Influenza-Like Illness, Massachusetts 2008-2009



1. Influenza cases confirmed via viral culture or rapid test by specimen collection date.

2. Influenza-like illness (ILI, defined as fever>100°F and cough and/or sore throat), as reported by Massachusetts sentinel surveillance sites by CDC week date.


Culture-Confirmed Influenza Cases and Percent Influenza-Like Illness, Massachusetts 2008-2009



1. Influenza cases confirmed via viral culture or rapid test by specimen collection date.

2. Influenza-like illness (ILI, defined as fever >100°F and cough and/or sore throat), as reported by Massachusetts

Percentage of Visits for Influenza-Like Illness¹ Reported by Sentinel Providers, Massachusetts 2008-2009 and Previous Two Seasons



¹Influenza-like illness (ILI, defined as fever>100°F and cough and/or sore throat), as reported by Massachusetts sentinel surveillance sites by CDC week date.

MMWR Re	2008-2009	2007-2008	2006-2007	2005-2006	2004-2005	2003-2004	2002-2003
40	0.656%	0.892%	0.300%	0.50%	0.228%	0.551%	0.609%
41	0.749%	0.895%	0.289%	0.52%	0.374%	0.390%	0.371%
42	0.496%	1.041%	0.488%	0.63%	0.354%	0.381%	0.294%
43	0.483%	1.361%	0.329%	0.49%	0.495%	0.377%	0.655%
44	0.624%	0.968%	0.485%	0.47%	0.425%	0.550%	0.462%
45	0.964%	1.091%	0.437%	0.59%	0.450%	0.750%	0.416%
46	0.877%	0.989%	0.522%	0.61%	0.401%	0.781%	0.332%
47	1.256%	0.870%	0.735%	0.92%	0.447%	1.074%	0.578%
48	1.303%	1.003%	0.653%	0.52%	0.916%	1.382%	0.727%
49	1.693%	0.961%	0.922%	0.74%	1.000%	2.084%	0.530%
50	1.459%	0.898%	1.182%	0.90%	1.074%	5.146%	0.440%
51	1.232%	0.886%	0.838%	0.79%	2.164%	5.237%	0.524%
52	1.661%	0.944%	1.401%	1.18%	2.249%	5.284%	0.510%
53	1.743%	1.235%	1.118%	0.93%	2.043%	3.885%	0.591%
1		1.328%	1.011%	0.63%	1.475%	2.179%	0.523%
2		1.048%	1.371%	0.63%	1.779%	1.521%	0.662%
3		1.450%	0.931%	1.13%	1.446%	1.172%	0.757%
4		2.217%	0.832%	1.45%	1.630%	0.742%	0.979%
5		2.551%	1.093%	2.01%	1.696%	0.672%	1.159%
6		3.941%	1.387%	2.43%	1.195%	0.591%	1.180%
7		4.016%	1.253%	2.18%	1.285%	0.571%	2.071%
8		3.169%	1.335%	1.97%	1.040%	0.368%	1.581%
9		3.361%	1.216%	2.40%	0.683%	0.392%	1.567%
10		2.244%	1.684%	2.04%	1.132%	0.501%	1.504%
11		1.465%	0.877%	1.55%	0.725%	0.301%	0.933%
12		1.170%	1.002%	1.26%	0.307%	0.448%	0.684%
13		0.964%	1.146%	0.89%	0.398%	0.440%	0.499%
14		0.571%	0.942%	0.90%	0.382%	0.256%	0.271%
15		0.520%	0.889%	0.55%	0.180%	0.285%	0.416%
16		0.627%	0.633%	0.37%	0.217%	0.296%	0.290%
17		0.469%	0.786%	0.46%	0.121%	0.260%	0.371%
18		0.631%	0.559%	0.58%	0.250%	0.236%	0.491%
19		0.549%	0.319%	0.42%	0.234%	0.262%	0.326%
20			0.208%	0.40%	0.276%	0.431%	0.189%
21			0.451%	0.43%	0.049%	0.238%	0.171%
22			0.309%	0.20%	0.161%	0.278%	0.088%
23			0.394%	0.12%	0.212%	0.242%	0.137%
24			0.794%	0.07%	0.165%	0.152%	0.369%
25			0.724%	0.15%	0.275%	0.235%	0.234%
26			0.479%	0.18%	0.124%	0.205%	0.128%
27			0.716%	0.18%	0.285%	0.163%	0.169%
28			0.472%	0.13%	0.189%	0.163%	0.147%
29			0.240%	0.25%	0.138%	0.055%	0.185%
30			0.289%	0.05%	0.166%	0.086%	0.187%
31			0.186%	0.11%	0.093%	0.169%	0.353%
32			0.250%	0.11%	0.226%	0.180%	0.183%
33			0.521%	0.09%	0.245%	0.464%	0.202%
34			0.541%	0.06%	0.122%	0.174%	0.230%
35			0.435%	0.05%	0.211%	0.201%	0.130%

36		0.407%	0.14%	0.239%	0.232%	0.135%
37		0.356%	0.03%	0.122%	0.279%	0.138%
38		0.534%	0.35%	0.329%	0.212%	0.262%
39						